Appl. No. 10/789,967 Docket No. 8725R2R

Amdt. dated August 23, 2010

Reply to Office Action mailed on April 27, 2010

Customer No. 27752

AMENDMENTS TO THE CLAIMS

This following listing of claims will replace any/all prior versions, and listings, of claims in the application, wherein additions are shown in underlined text and deletions are shown in strike-out text:

Listing of Claims:

1.-10. (Canceled)

- 11. (Previously Presented) A method for preparing a lotion for reliable high speed processing onto a substrate, the method comprising the steps of:
 - (a) providing a carrier system;
 - (b) mixing a premix solution comprising niacinamide and a material selected from the group consisting of glycerin, propylene glycol, panthenol, and mixtures thereof, at a temperature of at least about 35 degrees C; and
 - (c) milling the premix solution into the carrier system at a temperature of at least about 35 degrees C to disperse the premix solution until an average droplet diameter of the dispersed premix solution is less than about 100 microns to form said lotion.
- (Original) The method of Claim 11, wherein the carrier system comprises petrolatum.
- 13. (Currently Amended) The method of Claim 12, wherein the carrier system further comprises fatty alcohols having from—about 12 to about 24 carbon atoms, alkyl ethoxylates, fumed silica, talc, bentonites, hectorites, calcium silicates, magnesium silicates, magnesium aluminum silicates, zinc stearates, sorbitol, colloidal silicone dioxides, spermaceti, carnuba wax, beeswax, candelilla wax, paraffin wax, microcrystalline wax, castrol wax, ceresin, esparto, ouricuri, rezowax, polyethylene wax,

Appl. No. 10/789,967 Docket No. 8725R2R

Amdt. dated August 23, 2010

Reply to Office Action mailed on April 27, 2010

Customer No. 27752

C12-C24 fatty acids, polyhydroxy fatty acid esters, polyhydroxy fatty acid amides,

polymethacrylate polymers, polymethacrylate and styrene copolymers, or combinations

thereof.

thereof

14. (Previously Presented) The method of Claim 12, wherein the carrier system

further comprises a skin treatment active selected from the group consisting of allantoin,

aluminum hydroxide gel, calamine, cysteine hydrochloride, racemic methionine, sodium

bicarbonate, Vitamin C, serine protease, metalloprotease, cysteine protease, aspartyl

protease, peptidase, phenylsulfonyl fluoride, lipase, diesterase, urease, amylase, elastase,

nuclease, guanidinobenzoic acid and its salts and derivatives, chamomile, and mixtures

15. (Original) The method of Claim 11, wherein the solution is mixed at a

temperature of at least about 50 degrees C.

16. (Original) The method of Claim 11, wherein the solution is mixed at a

temperature of at least about 80 degrees C.

17. (Original) The method of Claim 11, wherein the milling is at a temperature of at

least about 50 degrees C.

18. (Currently Amended) The method of Claim 11, wherein the milling step

continues until the average droplet diameter of the dispersed premix solution is less than about 50 microns

19. (Canceled)

.

20. (Original) A disposable absorbent article comprising a lotion made according to

the method of Claim 11, wherein said disposable article is selected from the group

consisting of diapers, sanitary napkins, panty liners, and incontinence briefs.

Page 3 of 19

Appl. No. 10/789,967 Docket No. 8725R2R

Amdt. dated August 23, 2010

Reply to Office Action mailed on April 27, 2010

Customer No. 27752

 (Previously Presented) The method of Claim 11, wherein said method further comprises the step of spraying, extruding, or slot coating said lotion onto said substrate.

(Previously Presented) The method of Claim 11, wherein said niacinamide is

acidified niacinamide.

22.

3. (Previously Presented) The method of Claim 11, wherein said material of said

premix solution is selected from the group consisting of glycerin, propylene glycol, and

mixtures thereof.

4. (Previously Presented) The method of Claim 23, wherein said material of said

premix solution is glycerin.

25. (Previously Presented) The method of Claim 11, wherein said lotion further

comprises chitosan or chitosan derivative.

26. (Currently Amended) The method of Claim 21, wherein said premix solution is

added to the carrier system at a temperature of from about 60 to about 90 degrees C.

27. (Currently Amended) The method of Claim 21, wherein said premix solution is

added to the carrier system at a temperature of from-about 70 to about 90 degrees C.

Page 4 of 19